

Why Choose Oberfields?



AMERICAN-MADE WORLD-CLASS MANUFACTURING

Oberfields is proud to be American-Owned and Made. We manufacture our products within our three manufacturing facilities in central Ohio, and employ nearly one hundred employees.



NETWORK OF DEALERS & AUTHORIZED CONTRACTORS

You can find our products throughout the Midwest and down the East Coast. We have a valued distributor network who are knowledgeable about our products and have our products on display. We take great pride in providing in-depth regional training programs for contractors to become Authorized Oberfields Contractors. To connect with a distributor or authorized contractor in your area, please visit oberfields.com



EXPERIENCED PROFESSIONAL ADVICE

We are more than your supplier, we are your partner. We recognize the importance of sales support and inventory. We have a phenomenal team that's trained to be your resource. Our knowledgeable staff provides expertise from site design and installation techniques, to delivery.



ONE-SOURCE ORDERING

Pavers. Retaining Walls. Step Units. Structures. Sealers and Cleaners. We've got you covered with one call.







THE DURA-DENZ DIFFERENCE

Dura Denz is exclusive to Oberfields and represents a dramatic break-through in concrete casting technology. Our Americana Collection line of premium pavers are infused with Dura Denz. A specially formulated dense top layer that creates a smooth, extra-hard surface that resists chipping, scratching and fading. The result is products that are not only beautiful, but extremely durable



Dura Denz
Technology provides
an exceptional paver

an exceptional paver
with color infused
throughout and a top
layer that's colorfast
and resilient to wear
and tear. ASTM
compliant.





Contents

INSPIRATION

| Find your Contractor/ Dealer | 4-5 |
|------------------------------------|---------|
| PAVERS | |
| Lexington® | 8-9 |
| Ozark® Demi | 10-11 |
| Ozark® Supra | 12-13 |
| Manhattan® Demi | 14-15 |
| Manhattan® Supra | 16-17 |
| Newport® | 18-19 |
| CityStone™ XL | 20-21 |
| Plymouth® | 22-23 |
| Jamestown® | 24-25 |
| Luna™ | 26-27 |
| Grand Flagstone | 28 |
| Dimensional Flagstone | 29 |
| WALLS | |
| Edington Wall Stone® | 32-33 |
| Lenza Wall | 34-35 |
| Belvedere Wall | 36-37 |
| Dimensional Wall | 38-39 |
| Kodah Wall | 40-41 |
| Outcropping | 42-43 |
| Versa-Lok® | 44-45 |
| RegalStone Pro® Straight | 46-47 |
| MagnumStone® | 48-49 |
| STAIR TREADS WALL COPINGS COLU | MN CAPS |
| Bullnose Pavers | |
| Olentangy Bluff Tread™ | |
| Dimensional and Irregular Steps | |
| Superior Steppers | |
| Dimensional Coping | |
| Column Caps | |
| SAND SEALERS KITS | |
| Dura Denz Sand and Sealers | 64-65 |
| Fire Pits | |
| GENERAL INFORMATION | |
| | 70 |
| Structures | |
| Payer Patterns | |
| Packaging Reference Guide | |
| Warranty | 83 |



Find your authorized contractor & dealer today



Simply open the camera app on your phone and scan the code to get in touch with our contractors/dealers.

Our goal is to provide you with quality paver & wall products for your project. We understand that it's a large investment. If you need help with finding the right contractor for your project, we can help. Our goal is to recommend qualified, knowledgeable, certified hardscape contractors. The hardscape contractors found on our Oberfields Authorized Contractor list have shown a proven knowledge on the basics of paver and retaining wall construction and installation. Each company listed has at least one individual on staff that has attended our two-day training course and passed our Certification Exam.

While we try our best to recommend qualified contractors for your project, Oberfields does not guarantee the workmanship of the installer. Please ask your selected contractor for references and about any warranty or guarantees they might provide on workmanship.

FOLLOW THESE STEPS TO SELECT THE IDEAL CONTRACTOR TO BRING YOUR PROJECT TO LIFE.

STEP ONE

It's always a good idea to interview several contractors and find the best match for your project and personality. The contractor you choose will be at your project for days or weeks. Talk about working hours, how many people to expect at the project, what kind of equipment they will be using. Make sure you have a good rapport with the person and communicate your wants and needs.

STEP THREE

Once you reward the project to a specific contractor, get a written contract of the work to be performed. Make sure you understand the scope of your project and that any changes midway through the project, could result in additional costs to the project.

STEP TWO

Once you decide on the work you want to complete, confirm that the contractor has done that type of work in the past. Ask for pictures, references, or go by other projects they have completed and make sure you are happy with their quality of work.

Make sure to ask if they are an Oberfields Authorized Contractor.

STEP FOUR

Once your project is complete, we would love to see finished photos! Photos can be submitted to Oberfields at **photos@oberfields.com.** Photos may be used in social media or future catalog publications.



Utilize our network of authorized contractors and dealers to build your happy place

We have a valued distributor network throughout the Midwest who are knowledgeable about our products and have our products on display. We take great pride in providing in-depth regional training programs for contractors to become Authorized Oberfields Contractors.

Learn more at Oberfields.com





Lasting memories happen here

LEXINGTON®

OZARK® DEMI

OZARK® SUPRA

MANHATTAN® DEMI

MANHATTAN® SUPRA

NEWPORT®

CITYSTONETM XL

PLYMOUTH®


JAMESTOWN®

 $LUNA^{TM}$

GRAND FLAGSTONE

DIMENSIONAL FLAGSTONE





Storm Blend | Sealed



Lexington®

Packaged Together New Combo Mold (Muster K Pattern)



Lexington 14 5 $\frac{1}{2}$ x 5 $\frac{1}{2}$ x 2 $\frac{3}{8}$



Lexington 21 $5\sqrt[1]{2}$ × $8\sqrt[1]{4}$ × $2\sqrt[3]{8}$



Canyon Creek Blend



Charcoal (Lexington 21 only)



Driftwood Blend



Earth Blend



Flagstone Blend



Granite Blend



Storm Blend



Storm Blend



Ozark® Demi

Packaged Together



Small Rectangle $4 \text{ "} \times 8 \text{ "} \times 2^{3}/8 \text{"}$



Square 8" x 8" x 2³/₈"



Large Rectangle $8" \times 12" \times 2^{3}/8"$



Canyon Creek Blend



Driftwood Blend



Earth Blend



Flagstone Blend




Granite Blend



Storm Blend

^{*}Similar to our previous Malibu



Flagstone Blend | Sealed



Ozark[®] Supra

Packaged Together



Small Rectangle $8" \times 16" \times 2^{3}/_{8}"$

Square 16" x 16" x 2 ³/₈"

Large Rectangle 16" x 24" x 2 ³/₈"



Driftwood Blend



Earth Blend



Flagstone Blend



Granite Blend



Storm Blend



Earth Blend Sealed



Manhattan® Demi





Small Rectangle $4 \text{ "} \times 8 \text{ "} \times 2^{3}/8 \text{"}$



Square 8" x 8" x 2³/₈"



Large Rectangle $8" \times 12" \times 2^{3}/8"$



Driftwood Blend



Earth Blend



Flagstone Blend



Frost Blend




Granite Blend



Storm Blend

^{*}New for 2024! Similar to Ozark Demi but a smooth surface









Manhattan® Supra

Frost Blend



Granite Blend

Storm Blend







Newport®


Packaged Together



Small Rectangle 11 $^{3}/_{4}$ " x 17 $^{3}/_{4}$ " x 2 $^{3}/_{8}$ "



Square 11 ³/₄" x 11 ³/₄" x 2 ³/₈"



Large Rectangle $11^{3}/_{4}$ " $\times 23^{5}/_{8}$ " $\times 2^{3}/_{8}$ "




Driftwood Blend



Granite Blend



Storm Blend





CityStone™ XL



CityStone[™] 12" × 24" × 2 1/2"



CityStone™ 24" x 24" x 2 1/2"



Driftwood Blend




Frost Blend



Silver Mist Blend



Storm Blend



Charcoal & Cream | Sealed



Plymouth®



Plymouth 4" × 8" × 2 ³/₈"



Plymouth $4" \times 8" \times 3"/8"$ (Special Order)



Plymouth False Joint 4" \times 8" \times 3 $^{1}/_{8}$ " (Special Order)



Charcoal



Cream



Dark Chocolate



Khaki



Silver Mist



Cream | Sealed



Jamestown[®]



Jamestown 2 ⁵/₈" x 7 ⁷/₈" x 2 ³/₈"



Charcoal



Cream



Salt & Pepper



Silver Mist



Charcoal (Sealed) and Frost



$Luna^{^{\scriptscriptstyle TM}}$



Luna 4 ¹/₃" x 6" x 2 ¹/₂"



Charcoal



Frost



Grand Flagstone*




Cuyahoga Blend (Special Product Only)



Mohican Blend (Special Product Only)




Scioto Blend (Special Product Only)



Packaged Together





Dimensional Flagstone*




Cuyahoga Blend
(Special Product Only)



Mohican Blend (Special Product Only)



Scioto Blend (Special Product Only)



Packaged Together

- a) Dimensional Flagstone* 6" \times 12" \times 2"
- b) Dimensional Flagstone* 12" \times 12" \times 2"
- c) Dimensional Flagstone* 12" \times 18" \times 2"
- d) Dimensional Flagstone* 18" \times 18" \times 2"
- e) Dimensional Flagstone* $18" \times 24" \times 2"$
- f) Dimensional Flagstone* 24" x 24" x 2"







Inspiring Spaces



LENZA WALL

BELVEDERE WALL

DIMENSIONAL WALL

KODAH WALL


OUTCROPPING WALL

VERSA-LOK®

REGALSTONE PRO®

MAGNUMSTONE°





Canyon Creek Blend

Edington Wall Stone®







Edington Wall Stone® Wedge 12" x 8" x 4"



Non-Tumbled Edington Wall Stone® 12"x8"x4"



Non-Tumbled Edington Wall Stone® Wedge 12"x8"x4"

Tumbled



Canyon Creek Blend



Charcoal



Driftwood Blend



Flagstone Blend



Granite Blend



EDINGTON° FIRE PIT



Silver Mist Blend



Storm Blend

Non-Tumbled

Earth Blend



Canyon Creek Blend

Earth Blend



Charcoal



Flagstone Blend



Driftwood Blend



Granite Blend



Silver Mist Blend



Storm Blend



Custom Color

Lenza Wall





Wall Block 18 " x 9 " x 5 "

Wall Cap 18.5 " x 10 " x 2.5 "







Granite Blend



Storm Blend



LENZA FIRE PIT



Cuyahoga Blend | Sealed

Belvedere Wall*



Belvedere* Wall, Corner and Coping Wall blocks come in different sizes to create a double sided wall

Belvedere also available in corners and copings.




Cuyahoga Blend
(Special Order Only)



Mohican Blend



Scioto Blend





Scioto Blend

Dimensional Wall*



Dimensional Wall Straight Block* 12 " \times 8 " \times 4 "



Dimensional Wall Wedge Block* $12" \times 8" \times 4"$



Cuyahoga Blend (Special Order Only)



Mohican Blend



Scioto Blend



DIMENSIONAL FIRE PIT



Mohican Blend

Kodah Wall*



Kodah Wall 12" x 10.5" x 6"



Kodah Wall 21" x 10.5" x 6"



Kodah Wall 30" x 10.5" x 6"



Kodah Wall 42" x 10.5" x 6"



Kodah Wall Corner 21" x 10.5" x 6"

Packaged Together



Cuyahoga Blend (Special Order Only)



Scioto Blend



Mohican Blend



Cuyahoga Blend

Outcropping Wall*



Outcropping Wall Stone*

12" H x 42" L

(unit shown is one of a 12 piece modular system)



Outcropping Wall Stone Corner Available in 6"* 6" H x 39" L x 27" D 12" H x 39" L x 27" D



Outcropping Wall Stone*

18" H x 60" L x 18" D

(unit shown is one of a 12 piece modular system)

Outcropping Wall Stone Corner 6"* – 6" $H \times 39$ " $L \times 27$ " D Outcropping Wall Stone Corner 12"* – 12" $H \times 48$ " $L \times 30$ " D




Cuyahoga Blend (Special Order Only)



Mohican Blend



Scioto Blend



Storm Blend

Versa-Lok®



Standard 16" (face) x 14" (rear) x 12" D x 6" H



Smooth Top 16" (face) x 14" (rear) x 12" D x 6" H



Rectangular Cap 16" (face) x 11⁵/8" D x 3⁵/8" H



Solid Corner $7^{7}/8$ " (face) x 12" D x 6" H



Full Return Corner 16" (face) x 7⁷/8" D x 6" H



Weathered Standard
16"(face) x 14"(rear) x 12" D x 6" H
(Special Order Only - 1 Pallet Minimum)



Solid Corner Unit Weathered 77/8" (face) x 12" D x 6" H (Special Order Only - 1 Pallet Minimum)



Full Return Corner Weathered

16" (face) × 7⁷/8" D × 6" H

(Special Order Only - 1 Pallet Minimum)



Rectangular Cap Weathered 16" (face) \times 115/8" D \times 35/8" H (Special Order Only - 1 Pallet Minimum)



Charcoal Rectangular Cap Only



Canyon Creek Blend



Chestnut Blend



Desert Sand



Earth Blend




Flagstone Blend



Granite Blend



Storm Blend





RegalStone Pro® Straight



RegalStone Pro® 18" (face) x 12" D x 8" H



Square Foot Corner 18" (face) x 8" D x 8" H



Square Foot Cap 18" (face) x 12" D x 4" H




Flagstone Blend



Granite Blend



Storm Blend



Gray Blend

MagnumStone®



Standard Block 48" (face) x 39" (rear) x 24"D x 24"H



Base Block 48" (face) x 39" (rear) x 24"D x 24"H



Top Block 48" (face) x 39" (rear) x 24"D x 24"H



Standard Block Half High 48" (face) x 39" (rear) x 24"D



Base Block Half High 48" (face) x 39" (rear) x 24"D 12"H



Top Block Half High 48" (face) x 39" (rear) x 24"D 12"H



2 ft. Extender 30" (rear) x 24"D x 24"H



4 ft. Extender 30" (rear) x 48"D x 24"H



Corner/End 2" (top width) x 4" (bottom width) x 8" D x 24"H



Half High Corner End 3" (top width) x 4" (bottom width) x 9"D x 12"H



Cap/Step 48"W x 24"D x 6"H



Gray Blend

(Special Order Only - 1 pallet minimum)





Attention to Detail



BULLNOSE PAVERS

OLENTANGY BLUFF TREAD™

DIMENSIONAL & IRREGULAR STEPS

SUPERIOR STEPPERS

DIMENSIONAL COPING

COLUMN CAPS / KODAH WALL CAP



Bullnose Pavers



Single Bullnose $6" \times 12" \times 2^{3}/_{8}"$



Double Bullnose 6" x 12" x 2 ³/₄"



Charcoal



Cream




Dark Chocolate



Khaki



Silver Mist



Scioto Blend

Olentangy Bluff Tread™



Olentangy Bluff TreadTM 36" L \times 16" D \times 6" H



Olentangy Bluff TreadTM 48" L $\times 16$ " D $\times 6$ " H



Olentangy Bluff Tread[™] 60" L x 16" D x 6" H



Olentangy Bluff Tread[™] 72" L x 16" D x 6" H




Cuyahoga Blend (Special Order Only)



Mohican Blend




Scioto Blend



Dimensional Steps / Scioto Blend

Dimensional & Irregular Steps*



a) Irregular Steps*

All irregular steps have 7" rise

42" L x 17" D x 7" H

42" L x 26" D x 7" H

54" L x 22" D x 7" H

48" L x 24" D x 7" H

48" L x 28" D x 7" H

60" L x 24" D x 7" H

b) Dimensional Steps*

All dimensional steps have 7" rise

36" L x 18" D x 7" H

48" L x 18" D x 7" H

72" L x 30" D x 7" H



Cuyahoga Blend (Special Order Only)



Mohican Blend



Scioto Blend



Cuyahoga Blend

Superior Steppers





Superior Stepper - 21" x 27"x 2" Eight different shapes on a cube.



Cuyahoga Blend (Special Order Only)



Mohican Blend



Scioto Blend



Cuyahoga Blend

Dimensional Coping*



Standard Coping*

18" x 12.5" x 2.5"





Finished End Coping* 19" x 12.5" x 2.5"



Long Coping* 24" x 12.5" x 2.5"



Cuyahoga Blend (Special Order Only)



Mohican Blend



Scioto Blend





24 x 24 x 3" Precast Cap - Mohican



24 x 24 x 2" Precast Cap - Scioto

■ 36" x 36" x 3" Kodah Cap Scioto

Column Caps

CAP SIZES

Kodah Cap 36" x 36" x 3"



PRECAST CAP COLORS



Cuyahoga Blend (Special Product Only)




Mohican Blend



Scioto Blend



The Difference Makers




Dura-Denz Polymeric Sand

Dura Denz Polymeric Sand is a joint stabilization sand that offers long lasting durability and superior strength when it comes to your pavement joints. Formulated with a blend of native sands and polymer binders; that once activated, allows the joints to expand and contract with the elements – such as freeze/thaw cycles. Dura Denz Poly Sand prevents sand erosion from pavement joints caused by rain and other water run-off, deters weed growth and insect infestation, and reduces overall pavement maintenance. You can be assured that Dura Denz Polymeric Sand will not discolor the surface or leave behind a haze, when installed correctly. Designed and tested in conjunction with the Americana Collection pavers; the Dura Denz Polymeric Sand, as well as Dura Denz Sealers, promotes a system sell of pavers; built to our specifications, delivering both on quality and consistency.







Granite

Tan

Best Practices

We adhere to ICPI System Practices

- After excavation, install geosynthetic fabric
- Install sub-base material (open graded 3/4" clean or dense 3/4" down to fines)
- Install bedding layer (clean limestone chip or dense concrete sand)
- · Install Americana Collection paver
- · Sweep in Dura Denz Polymeric Sand
- · Clean patio in preparation of sealer
- · Seal patio with Dura Denz All-In-One Sealer

Dura Denz Polymeric Sand is recommended for joints up to 3/4" (max). For best performance, install with a minimum depth of 1.5"

Available in two color options: Granite and Tan. Customers can expect our Granite to be richer and deeper in color than its counterparts in the market. This was done purposefully, to best compliment our rich gray tones within the Americana Collection.


1 bag = approximately 100 square feet, depending on paver style

All-In-One Sealers

How many reasons do you need?

Our new Dura Denz All-In-One penetrating sealers enhance color and texture, stabilizes joint sand, and protect against mold, moss and algae. Formulated to resist UV rays, Dura Denz Sealers help to retain the pavers original color while also repelling water and stains. It can be applied immediately after installation on a clean, dry installation and is rain safe in 90 minutes.

Dura Denz Sealers are formulated to give maximum coverage for years. Although formulated in conjunction with the Americana Collection pavers, Dura-Denz Sealers may also be applied to any type of concrete paver, clay paver, flat and stamped concrete, and masonry surfaces such as concrete walls, exposed aggregate and retaining walls. When sealing, it is always best to test in an inconspicuous location prior to full application.










Lenza Fire Pit



Belvedere Fire Pit





Custom Belvedere Fire Pit





Edington® Fire Pit



Optional Precast Caps

Overall Dimensions: 12" H x 48" Diameter 32" Inside Diameter

- 39 Edington Wall Stone Wedge Units
- 3 10 oz. Tubes of Adhesive
- · Steel Ring
- Optional Precast Rockface Caps

Components Sold Separately

EDINGTON° COLORS

TUMBLED



Canyon Creek



Charcoal



Driftwood



Earth Blend



Flagstone



PRECAST CAP COLORS

Cuyahoga Blend (SPO)



Mohican Blend



Scioto Blend



Granite Blend



Silver Mist



Storm Blend

NON-TUMBLED



Canyon Creek



Charcoal



Driftwood



Earth Blend



Flagstone Blend



Granite Blend



Silver Mist



Storm Blend



Dimensional Fire Pit*

Overall Dimensions: 12" $H \times 44$ " $W \times 44$ " D

COMPONENTS

- 36 Dimensional Units
- 3 10 oz. Tubes of Adhesive
- Steel Liner

Components Sold Separately



* Not Available in Michigan.



Cuyahoga Blend (SPO)



Mohican Blend



Scioto Blend



Kodah[®] Fire Pit^{*}

Overall Dimensions: 12" H x 48" Diameter

COMPONENTS

- 16 Kodah Wall Corner Units
- 3 10 oz. Tubes of Adhesive
- Steel Liner

Components Sold Separately



* Not Available in Michigan.



Cuyahoga Blend (SPO)



Mohican Blend



Scioto Blend



Belvedere® Fire Pit*

Overall Dimensions: 14" H x 58" Diameter

COMPONENTS

- 52 Belvedere Units
- 3 10 oz. Tubes of Adhesive
- Steel Ring

Components Sold Separately



* Not Available in Michigan.



Cuyahoga Blend (SPO)



Mohican Blend



Scioto Blend



Edington® Pub Table

COMPONENTS

Overall Dimensions: $42" H \times 48" W \times 48" D$

TUMBLED

NON-TUMBLED



Canyon Creek Blend















Earth Blend





Flagstone Blend







Flagstone Blend





• 2-10 oz. Tubes of Adhesive

below

• Optional 42" Round Table Top with 2" hole (non stock)

• 36 Edington Wall Stone pieces - stocked kit colors

• 1-28" Foot Rest with 2" hole - Both pieces 3" thick

- The 2" hole fits standard umbrella (not included)

Components Sold Separately

• 1-42" Table Top with 2" hole

Silver Mist











Storm Blend

PRECAST CAP COLORS





Cuyahoga Blend (SPO)

Mohican Blend





Scioto Blend



Enjoy the outdoors under the shade

PAVILIONS

Pavilions can be an extension of your home, or a freestanding structure providing shade and visual interest to your yard.

PERGOLAS

If you want to immerse yourself in the outdoors, but enjoy some sun protection, pergolas are a perfect fit.



Mesa Structure



Prairie Structure




Wellington Structure






Paver Patterns


LEXINGTON




Muster K



90º Herringbone (Lexington 21 only)




45º Herringbone (Lexington 21 only)




Running Bond (Lexington 21 only)


CITYSTONE XL




90º Herringbone 12x24



45º Herringbone 12x24




Running Bond 12x24, 24x24




Stack Bond 24x24


PLYMOUTH




90º Herringbone



Running Bond




45º Herringbone




Basketweave

JAMESTOWN




90º Herringbone




Running Bond



45º Herringbone




Pattern A




Pattern B


OZARK & MANHATTAN DEMI & SUPRA




Demi or Supra Pattern 1



Demi or Supra Pattern 2




Demi/Supra Pattern 1 Demi (30%), Supra (70%)




Demi/Supra Pattern 2 Demi (50%), Supra (50%)

NEWPORT



Random Running Bond



Pattern B

Packaging Reference Guide

| PAVERS | | | STOCKED | NOMINAL DIMENSIONS | DIMENSIONS | WEIGHT /SQ. FT | UNITS/ SQ. FT. |
|----------------------------|--------------------|--------------------|---------|------------------------------------------------------------------------------------------------------------------------------|-------------------------|-------------------|-------------------|
| Lexington Con | nbo Pallet | PKG. LAYER | x | 5 ¹ /2" × 5 ¹ /2" × 2 ³ /8" & 5 ¹ /2 " × 8 ¹ /4" × 2 ³ /8" | 140 mm × 140 mm × 60 mm | 29 | 4.76/3.17 |
| Lexington 21 | | J E | х | 5 ¹ /2 " × 8 ¹ /4" × 2 ³ /8" | 140 mm × 210 mm × 60 mm | 29 | 3.17 |
| Ozark [*] Demi Sr | nall Rectangle | PAC | х | 4" × 8" × 2 ³ /8" | 102 mm × 204 mm × 60 mm | 29 | 4.5 |
| Ozark [*] Demi So | juare | PACKAGED LAYER | х | 8" × 8" × 2 ³ /8" | 204 mm × 204 mm × 60 mm | 29 | 2.25 |
| Ozark [*] Demi La | rge Rectangle | _ ~_ | х | 8" × 12" × 2 ³ /8" | 204 mm × 305 mm × 60 mm | 29 | 1.5 |
| Ozark [®] Supra S | mall Rectangle | PAC | x | 8" × 16" × 2 ³ /8" | 204 mm × 406 mm × 60 mm | 29 | 1.12 |
| Ozark [®] Supra S | quare | PACKAGED LAYER | х | 16" × 16" × 2 ³ /8" | 406 mm × 406 mm × 60 mm | 29 | 0.56 |
| Ozark* Supra L | arge Rectangle |] " | х | 16" × 24" × 2 ³ /8" | 406 mm × 610 mm × 60 mm | 29 | 0.375 |
| Manhattan [®] Dei | mi Small Rectangle | PAC | x | 4" × 8" × 2 ³ /8" | 102 mm × 204 mm × 60 mm | 29 | 4.5 |
| Manhattan' Dei | ni Square | PACK AGED LAYER | х | 8" × 8" × 2 ³ /8" | 204 mm × 204 mm × 60 mm | 29 | 2.25 |
| Manhattan Der | ni Large Rectangle |] " | Х | 8" × 12" × 2 ³ /8" | 204 mm × 305 mm × 60 mm | 29 | 1.5 |
| Manhattan Sur | ra Small Rectangle | PAC | x | 8" × 16" × 2 ³ /8" | 204 mm × 406 mm × 60 mm | 29 | 1.12 |
| Manhattan Sur | ora Square | PACKAGED LAYER | х | 16" × 16" × 2 ³ /8" | 406 mm × 406 mm × 60 mm | 29 | 0.56 |
| Manhattan Sur | ra Large Rectangle |] " | х | 16" × 24" × 2 ³ /8" | 406 mm × 610 mm × 60 mm | 29 | 0.375 |
| Newport* Smal | Rectangle | | х | 11 ³ /4" × 17 ³ /4" × 2 ³ /8" | 298 mm × 298 mm × 60 mm | 29 | 0.69 |
| Newport* Squa | re | | x | 11 ³ /4" × 11 ³ /4" × 2 ³ /8" | 298 mm × 450 mm × 60 mm | 29 | 1.04 |
| Newport* Large | Rectangle | | х | 11 ³ /4" × 23 ⁵ /8" × 2 ³ /8" | 298 mm × 600 mm × 60 mm | 29 | 0.52 |
| CityStone™ XL | | | х | 12" x 24" × 2 ¹ /2" | 305 mm x 610 mm × 64 mm | 29 | 0.50 |
| CityStone™XL | | | х | 24" x 24 × 2 ¹ /2" | 610 mm x 610 mm × 64 mm | 29 | 0.25 |
| Plymouth* | | | х | 4" × 8" × 2 ³ /8" | 102 mm × 204 mm × 60 mm | 29 | 4.7 |
| Jamestown* | | | х | 2 ⁵ /8" × 7 ⁷ /8" × 2 ³ /8" | 67 mm × 200 mm × 60 mm | 29 | 7.14 |
| Luna | | | х | 4 ¹ /3" × 6" x 2 ¹ /2" | 110 mm x 152 mm x 64 mm | 25 | 5.52 |
| Grand Flagstor | e¥ | | | 15 unique shapes at 1 3/4" thickness | N/A | 20.5 | N/A |
| Dimensional FI | agstone¥ | | | Comprised of six sizes, per cube | N/A | 24 | N/A |
| Single Bullnose | Paver | | х | 6" x 12" x 2 ³ /8" | 152 mm x 305 mm x 60 mm | 28 | N/A |
| Double Bullnos | e Paver | | х | 6" x 12" x 2 3/4" | 152 mm x 305 mm x 70 mm | 30 | N/A |
| Superior Stepp | ers | | х | 21" x 27" x 2" (Dimensions vary slightly by paver) | 533 mm x 686 mm x 51 mm | N/A | N/A |

SPECIAL NOTES:

¥ Not available in Michigan

Weight per Cube does not include pallet weight.

| UNITS/ LAYER | LAYERS/ CUBE | UNITS/ CUBE | WEIGHT/ CUBE | SQ. FT./ UNIT | SQ. FT./ LAYER | SQ. FT/ CUBE | COLOR STOCKED |
|-----------------|-----------------|----------------|-----------------|------------------|-----------------------------|-----------------|-----------------------------------------------------------|
| 36 | 10 | 360 | 2934 | .32/.21 | 10.12 | 101.20 | Canyon Creek, Driftwood, Earth, Flagstone, Granite, Storm |
| 42 | 8 | 336 | 3074 | 0.32 | 13.25 | 106 | Charcoal, Driftwood, Storm |
| 8 | 10 | 80 | 2884 | 0.22 | 1.76 | 103.3 | Canyon Creek, Driftwood, Earth, Flagstone, Granite, Storm |
| 8 | 10 | 80 | 2884 | 0.44 | 1.76 combined sq. ft. 5.28 | 103.3 | Canyon Creek, Driftwood, Earth, Flagstone, Granite, Storm |
| 8 | 10 | 80 | 2884 | 0.66 | 5.28 _ .≓ | 103.3 | Canyon Creek, Driftwood, Earth, Flagstone, Granite, Storm |
| 2 | 10 | 20 | 2884 | 0.89 | 1.78 on cont. | 103.34 | Driftwood, Earth, Flagstone, Granite, Storm |
| 2 | 10 | 20 | 2884 | 1.77 | 1.78 combined so | 103.34 | Driftwood, Earth, Flagstone, Granite, Storm |
| 2 | 10 | 20 | 2884 | 2.67 | 5.34 ⊒ ² | 103.34 | Driftwood, Earth, Flagstone, Granite, Storm |
| 8 | 10 | 80 | 2884 | 0.22 | 1.76 | 103.3 | Driftwood, Earth, Flagstone, Frost, Granite, Storm |
| 8 | 10 | 80 | 2884 | 0.44 | 1.76 combined sq. ft. 5.28 | 103.3 | Driftwood, Earth, Flagstone, Frost, Granite, Storm |
| 8 | 10 | 80 | 2884 | 0.66 | | 103.3 | Driftwood, Earth, Flagstone, Frost, Granite, Storm |
| 2 | 10 | 20 | 2884 | 0.89 | 1.78 combined s 3.54 33 | 103.34 | Driftwood, Earth, Flagstone, Frost, Granite, Storm |
| 2 | 10 | 20 | 2884 | 1.77 | 3.54 ined s | 103.34 | Driftwood, Earth, Flagstone, Frost, Granite, Storm |
| 2 | 10 | 20 | 2884 | 2.67 | 5.34 ⊒∺ | 103.34 | Driftwood, Earth, Flagstone, Frost, Granite, Storm |
| 2 | 9 | 18 | 3020 | 1.45 | 2.90 | 104 | Driftwood, Granite, Storm |
| 3 | 9 | 27 | 3020 | 0.96 | 2.88 | 104 | Driftwood, Granite, Storm |
| 3 | 9 | 27 | 3020 | 1.93 | 5.79 | 104 | Driftwood, Granite, Storm |
| N/A | 10 | 60 | 3255 | 2.00 | N/A | 120 | Driftwood, Frost, Silver Mist, Storm |
| N/A | 10 | 20 | 2240 | 4.00 | N/A | 80 | Driftwood, Frost, Silver Mist, Storm |
| 54 | 9 | 486 | 2999 | 0.21 | 11.48 | 103 | Charcoal, Cream, Dark Chocolate, Khaki, Silver Mist |
| 78 | 5 | 390 | 1583 | 10.92 | 10.92 | 55 | Charcoal, Cream, Salt & Pepper, Silver Mist |
| 64 | 10 | 640 | 2872 | N/A | 11.6 | 116 | Charcoal, Frost |
| N/A | 8 | 32 | 2160 | N/A | 11.00 | 88 | Special Order Only |
| N/A | 8 | 48 | 2350 | N/A | 12.25 | 98 | Special Order Only |
| 2 | 3 | 168 | 2352 | N/A | N/A | 84 | Charcoal, Cream, Dark Chocolate, Khaki, Silver Mist |
| 2 | 3 | 144 | 2160 | N/A | N/A | 72 | Charcoal, Cream, Dark Chocolate, Khaki, Silver Mist |
| N/A | 6 | 24 | 1950 | N/A | N/A | N/A | Mohican, Scioto |

PAVER COLOR BLENDS:

Canyon Creek = buff, charcoal, maroon
Driftwood = cream, desert sand, gray
Earth = brown, buff, charcoal
Flagstone = buff, charcoal, gray
Granite = charcoal, gray
Storm = brown, light grey, black

Due to color variations, it's imperative to pull/install from multiple cubes at a time.

Retaining Wall Packaging Reference Guide

| RETAINING WALL PRODUCTS STOCKED NOMINAL I | | WEIGHT/ SQ. FT |
|-------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------|
| Edington Wall Stone* X 12" front x | 3" depth x 4" height 305 mm x 204 mm x 102 mm | 90 |
| Edington Wall Wedge X 12" front x | 3" depth x 4" height 305 mm x 204 mm x 102 mm | 75 |
| Non-Tumbled Edington Wall Stone X 12" front x | 3" depth x 4" height 305 mm x 204 mm x 102 mm | 90 |
| Non-Tumbled Edington Wall Stone Wedge X 12" front x | 3" depth x 4" height 305 mm x 204 mm x 102 mm | 75 |
| Lenza Wall X 18" front x | 9" depth x 5" height 457 mm x 229 mm x 127 mm | 86 |
| Lenza Wall Cap X 18.5" front | x 10" depth x 2.5" height 470 mm x 254 mm x 64 mm | 11.52 |
| Belvedere Wall [¥] X Random siz | res available Varies in size | 91.667 |
| Belvedere Corner [¥] X Random siz | tes available Varies in size | 63.33 |
| Belvedere Coping [¥] X Random siz | res available Varies in size | N/A |
| Dimensional Wall [¥] X Random siz | es available Varies in size | 84 |
| Dimensional Wedge [¥] X Random siz | res available Varies in size | N/A |
| Kodah Wall [¥] X Random Si: | zes Available Varies in size | N/A |
| Kodah Wall Corner [¥] X 21" front x | 10.5" depth x 6" height 533 mm x 267 mm x 152 mm | N/A |
| Outcropping [¥] X Wall, corne | r (6" & 12") available Varies in size | 222.22 |
| Non-Weathered Versa-Lok* Standard* X 16" front x | 12" depth x 6" height 406 mm x 305 mm x 152 mm | 123 |
| Non-Weathered Versa-Lok* Smooth Top X 16" front x | 12" depth x 6" height 406 mm x 305 mm x 152 mm | 123 |
| Non-Weathered Rectangular Retaining Wall Cap' X 16" front x | 11 ⁵ /8" depth x 3 ⁵ /8" height 406 mm x 295 mm x 92 mm | 51 |
| Non-Weathered Versa-Lok' Solid Corner' X 7 ⁷ /8" front | x 12" depth x 6" height 203 mm x 305 mm x 152 mm | 41 |
| Non-Weathered Versa-Lok' Full Return Corner' X 8" front x 1 | 6" depth x 6" height 204 mm x 406 mm x 152 mm | 48 |
| Weathered Versa-Lok® Standard 16" front x | 12" depth x 6" height 406 mm x 305 mm x 152 mm | 123 |
| Weathered Rectangular Retaining Wall Cap 16" front x | 11 ⁵ /8" depth x 3 ⁵ /8" height 406 mm x 295 mm x 92 mm | 51 |
| Weathered Versa-Lok' Solid Corner' 7 ⁷ /8" front | x 12" depth x 6" height 203 mm x 305 mm x 152 mm | 41 |
| Weathered Versa-Lok' Full Return Corner' 8" front x 1 | 6" depth x 6" height 204 mm x 406 mm x 152 mm | 48 |
| RegalStone Pro Straight X 18" front x | 12" depth x 8" height 457 mm front x 305 mm x 204 mm | 76 |
| Reversible Corner X 18" front x 8 | 8" depth x 8" height 457 mm front x 204 mm x 204 mm | 65 |
| Rectangular Cap X 18" front x | 12" depth x 4" height 457 mm front x 305 mm x 102 mm | 67 |
| Magnumstone' Standard Block 48" (face) | 39" (rear) x 24"D x 24"H | |
| Magnumstone Base Block 48" (face) | 39" (rear) x 24"D x 24"H | |
| Magnumstone Top Block 48" (face) | 39" (rear) x 24"D x 24"H | |
| Magnumstone [*] Standard Block Half High 48" (face) 3 | 39" (rear) x 24"D x 12" H | |
| Magnumstone [*] Base Block Half High 48" (face) > | 39" (rear) x 24"D x 12"H | |
| Magnumstone Top Block Half High 48" (face) > | 39" (rear) x 24"D x 12"H | |
| Magnumstone 2 ft. Extender 30" (rear) > | 24"D x 24"H | |
| Magnumstone 4 ft. Extender 30" (rear) > | 48"D x 24"H | |
| Magnumstone Corner/End 2" (top width |) x 4" (bottom width) x 8" D x 24"H | |
| Magnumstone Half High Corner End 3" (top width |) x 4" (bottom width) x 9"D x 12"H | |
| Magnumstone Cap 48"W x 24" | D x 6"H | |

SPECIAL NOTES:

^{*} Asterisk denotes non-stocked shape or color

[¥] Not available in Michigan

[†] Also available in Weathered

| UNITS/ SQ. FT. | UNITS/ BAND | UNITS/ CUBE | WEIGHT/ CUBE | SQ. FT./ UNIT | SQ. FT./ LAYER | SQ. FT./ CUBE | COLOR STOCKED |
|-------------------|----------------|----------------|-----------------|------------------|-------------------|------------------|----------------------------------------------------------------------------------|
| 3.00 | N/A | 100 | 2900 | 0.333 | N/A | 33 | Canyon Creek, Charcoal, Driftwood, Earth, Flagstone, Granite, Storm, Silver Mist |
| 3.00 | N/A | 90 | 2160 | 0.333 | N/A | 30 | Canyon Creek, Charcoal, Driftwood, Earth, Flagstone, Granite, Storm, Silver Mist |
| 3.00 | N/A | 132 | 3960 | 0.333 | N/A | 44 | Canyon Creek, Charcoal, Driftwood, Earth, Flagstone, Granite, Storm, Silver Mist |
| 3.00 | N/A | 90 | 2250 | 0.333 | N/A | 30 | Canyon Creek, Charcoal, Driftwood, Earth, Flagstone, Granite, Storm, Silver Mist |
| 1.60 | 10 | 50 | 2666 | 0.62 | 6.20 | 31 | Driftwood, Granite, Storm |
| 3.13 | 8 | 64 | 2304 | 0.32 | 2.56 | 20.48 | Driftwood, Granite, Storm |
| N/A | N/A | N/A | 2475 | N/A | N/A | 27 | Mohican, Scioto |
| N/A | N/A | N/A | 1520 | N/A | N/A | 24 | Mohican, Scioto |
| N/A | N/A | N/A | 1550 | N/A | N/A | 66.00/LNFT | Mohican, Scioto |
| 3.00 | N/A | 75 | 2100 | N/A | N/A | 25 | Mohican, Scioto |
| 3.00 | N/A | 100 | 2000 | N/A | N/A | N/A | Mohican, Scioto |
| N/A | N/A | 18 | 2394 | N/A | N/A | 21 | Mohican, Scioto |
| N/A | N/A | 16 | 1600 | N/A | N/A | 21 | Mohican, Scioto |
| N/A | N/A | N/A | 4000 | N/A | N/A | 18 | Mohican, Scioto |
| 1.50 | N/A | 32 | 2624 | 0.667 | N/A | 21.33 | Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm |
| 1.50 | N/A | 32 | 2624 | 0.667 | N/A | 21.33 | Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm |
| N/A | N/A | 48 | 2448 | N/A | N/A | N/A | Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm |
| 3.00 | N/A | 64 | 2624 | N/A | N/A | N/A | Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm |
| N/A | N/A | 48 | 2304 | N/A | N/A | N/A | Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm |
| 1.50 | N/A | 32 | 2624 | 0.667 | N/A | 21.33 | Special Order Only |
| N/A | N/A | 48 | 2448 | N/A | N/A | N/A | Special Order Only |
| 3.00 | N/A | 64 | 2624 | N/A | N/A | N/A | Special Order Only |
| N/A | N/A | 48 | 2304 | N/A | N/A | 32 | Special Order Only |
| 1.00 | 8 | 32 | 3040 | 1.000 | N/A | 320 | Flagstone, Granite, Storm |
| N/A | N/A | 40 | 2600 | N/A | N/A | 40 | Flagstone, Granite, Storm |
| N/A | N/A | 48 | 3216 | N/A | N/A | 24 | Flagstone, Granite, Storm |
| | | 2 | 2690 | | | | Special Order Only |
| | | 2 | 2650 | | | | Special Order Only |
| | | 2 | 2440 | | | | Special Order Only |
| | | 2 | 1500 | | | | Special Order Only |
| | | 2 | 1450 | | | | Special Order Only |
| | | 2 | 1374 | | | | Special Order Only |
| | | 2 | 1150 | | | | Special Order Only |
| | | 2 | 1750 | | | | Special Order Only |
| | | 2 | 680 | | | | Special Order Only |
| | | 4 | 680 | | | | Special Order Only |
| | | | | | | | Special Order Only |
| | | 6 | 3360 | | | | Special Glaci Giny |

Earth = brown, buff, charcoal Flagstone = buff, charcoal, gray Granite = charcoal, gray Mohican = neutral tan, brown accent **Scioto** = gray, charcoal accent **Storm** = brown, light gray, black

Stair Treads & Wall Copings Packaging Reference Guide

| STAIR TREADS | STOCKED | NOMINAL DIMENSIONS | DIMENSIONS | WEIGHT/ SQ. FT | UNITS/ SQ. FT. |
|-----------------------------------------------------------------|---------|---------------------------------------------------|------------------------------------------|-------------------|-------------------|
| Olentangy Bluff Tread™ 36" | х | 36" front x 16" depth x 6" height | 914 mm x 406 mm x 152 mm | N/A | N/A |
| Olentangy Bluff Tread™ 48" (Front width can vary up to 1.5") | x | 48 ¹ /2" front x 16" depth x 6" height | 1232 mm x 406 mm x 152 mm | N/A | N/A |
| Olentangy Bluff Tread™ 60" | x | 60" front x 16" depth x 6" height | 1524 mm x 406 mm x 152 mm | N/A | N/A |
| Olentangy Bluff Tread™ 72" | x | 72" front x 16" depth x 6" height | 1829 mm x 406 mm x 152 mm | N/A | N/A |
| Irregular Steps [¥] | x | 42"-60" front x 17"-28" depth x 7" height | Varies in size, Sold as Full Pallet Only | N/A | N/A |
| Dimensional Steps 3'¥ | x | 36" front x 18" depth x 7" height | 914 mm x 457 mm x 178 mm | N/A | N/A |
| Dimensional Steps 4'¥ | x | 48" front x 18" depth x 7" height | 1219 mm x 457 mm x 178 mm | N/A | N/A |
| Dimensional Steps 6'¥ | × | 72" front x 30" depth x 7" height | 1829 mm x 762 mm x 178 mm | N/A | N/A |

| COPINGS | STOCKED | NOMINAL DIMENSIONS | DIMENSIONS | WEIGHT/ SQ. FT |
|-----------------------------------|---------|---------------------------------------|----------------|-------------------|
| Dimensional Coping - Standard | х | 18" front x 12.5" depth x 2.5" height | Varies in Size | N/A |
| Dimensional Coping - Finished End | x | 19" front x 12.5" depth x 2.5" height | Varies in Size | N/A |
| Dimensional Coping - Long | Х | 24" front x 12.5" depth x 2.5" height | Varies in Size | N/A |

| COLUMN CAPS | STOCKED | NOMINAL DIMENSIONS | DIMENSIONS | WEIGHT / EACH |
|--------------------|---------|-----------------------------------|----------------|---------------|
| Rockface Cap Sizes | х | 24" front x 24" depth x 2" height | Varies in Size | 90 |
| Rockface Cap Sizes | x | 28" front x 28" depth x 2" height | Varies in Size | 105 |
| Rockface Cap Sizes | x | 24" front x 24" depth x 3" height | Varies in Size | 140 |
| Rockface Cap Sizes | x | 28" front x 28" depth x 3" height | Varies in Size | 180 |
| Kodah Cap ¥ | Х | 36" front x 36" depth x 3" height | Varies in Size | 315 |

SPECIAL NOTES:

Weight per Cube does not include pallet weight.

^{*} Asterisk denotes non-stocked shape or color

[¥] Not available in Michigan

[†] Also available in Weathered

| UNITS/ BAND | UNITS/ CUBE | WEIGHT/ CUBE | SQ. FT./ UNIT | SQ. FT./ LAYER | SQ. FT./ CUBE | COLOR STO | OCKED |
|-------------------|------------------|-----------------|------------------|-------------------|-------------------|------------------|-----------------|
| N/A | 8 | 2240 | N/A | N/A | N/A | Mohican, Sc | ioto |
| N/A | 8 | 2984 | N/A | N/A | N/A | Mohican, Sc | ioto |
| N/A | 6 | 2808 | N/A | N/A | N/A | Mohican, Sc | ioto |
| N/A | 4 | 2240 | N/A | N/A | N/A | Mohican, Sc | ioto |
| N/A | 6 | 2962 | N/A | N/A | N/A | Mohican, Sc | ioto |
| N/A | 6 | 2250 | N/A | N/A | N/A | Mohican, Sc | ioto |
| N/A | 6 | 2730 | N/A | N/A | N/A | Mohican, Sc | ioto |
| N/A | 3 | 3960 | N/A | N/A | N/A | Mohican, Sc | ioto |
| | | | | • | | | |
| UNITS/ SQ. FT. | UNITS/ BUNDLE | LAYERS/ CUBE | WEIGHT/ CUBE | SQ. FT./ UNIT | SQ. FT./ LAYER | SQ. FT./ CUBE | COLOR STOCKED |
| N/A | 12 | N/A | 1950 | N/A | N/A | 63.00/LNFT | Mohican, Scioto |
| N/A | 6 | N/A | 1950 | N/A | N/A | 63.00/LNFT | Mohican, Scioto |
| N/A | 18 | N/A | 1950 | N/A | N/A | 63.00/LNFT | Mohican, Scioto |
| | | | | | | | _ |
| | | | | | | | |
| UNITS/ SQ. FT. | UNITS/ BUNDLE | LAYERS/ CUBE | WEIGHT/ CUBE | SQ. FT./ UNIT | SQ. FT./ LAYER | SQ. FT./ CUBE | COLOR STOCKED |
| N/A | 12 | N/A | 1080 | N/A | N/A | N/A | Mohican, Scioto |
| N/A | 6 | N/A | 630 | N/A | N/A | N/A | Mohican, Scioto |
| N/A | 12 | N/A | 1680 | N/A | N/A | N/A | Mohican, Scioto |
| N/A | 6 | N/A | 1080 | N/A | N/A | N/A | Mohican, Scioto |
| N/A | 5 | N/A | 1575 | N/A | N/A | N/A | Mohican, Scioto |

TREADS / COPING COLOR BLENDS:

Cuyahoga = golden buff, charcoal accent Mohican = neutral tan, brown accent Scioto = gray, charcoal accent







LIMITED WARRANTY for the Homeowner Purchaser

Oberfields, LLC ("Oberfields"), having its headquarters located at Five Concourse Parkway, Atlanta, GA 30328, warrants its products to be of merchantable quality if installed in accordance with applicable ICPI (www.icpi.org) or NCMA (www.ncma.org) standards. The product is not warranted as suitable for any use or purpose other than for residential application and the purpose for which the product is generally intended. This warranty does not cover standard manufacturing variations, color variations/matching or efflorescence. Oberfields is not responsible for installation of the product or defective conditions caused by installation, abuse, impact, abrasion or alteration of the product, earth-shifts, excessive or unforeseen site conditions, acts of God or application of de-icing salt or other chemicals to the product. Liability under this warranty, if the product is found to be defective, is **LIMITED** to the replacement of the defective product, or at Oberfields's option, the refund of the purchase price of the defective product. Oberfields does not guarantee that the shape or color will be available in the future and will provide an alternate shape or color from its current product line as determined by Oberfields at the time of an accepted warranty claim. This warranty is valid for the lifetime of the product. This warranty is transferable. In the event of a claim under this warranty, notice must be given to Oberfields, together with original proof of purchase, at its headquarters by sending a letter to: Oberfields a/s Warranties, Five Concourse Parkway, Atlanta, GA 30328. THIS WARRANTY IS ISSUED AND ACCEPTED IN LIEU OF ANY AND ALL OTHER EXPRESS WARRANTIES AND EXPRESSLY EXCLUDES LIABILITY FOR LABOR, FREIGHT AND OTHER COSTS ASSOCIATED WITH REMOVAL AND REPLACEMENT OF THE DEFECTIVE PRODUCT AND FOR INDIRECT AND CONSEQUENTIAL DAMAGES.

- Prior to installation, please inspect product style & color to ensure they are as ordered.
- Check product color prior to installation for product consistency.
- All pavers should be inspected prior to installation for chipping or cracks. Set aside for cutting.
- When installing, pull from multiple pallets for optimum color blending.
- Oberfields pavers require a buffer between the plate compactor & the paver surface to prevent scuffing.
- Installation denotes acceptance of material.
- Oberfields recommends that a qualified and licensed (in states where it is required) contractor install this product.
 The quality of the installation is the sole responsibility of the installer.

Please refer to installation guidelines set forth by the Concrete Masonry & Hardscapes Association (CMHA) at masonryandhardscapes.org.

| 614.252.0955 | 740.369.7644 | 800.845.7644 | @ info@oberfields.com | OBERFIELDS.COM |
|---------------------|--------------|--------------|-----------------------|----------------|

SALES & MANUFACTURING

Hardscape & Precast 528 London Road Delaware, Ohio 43015 614-252-0955 740-369-7644 800-845-7644 Fax 740-363-7644

Hardscape 4033 Alum Creek Drive Obetz, Ohio 43207 614-252-0955



oberfields.com

800-845-7644

FOLLOW US









